

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-09-11

MSDS标题

KODAK EKTACOLOR PRIME SP DEVELOPER REPLENIS MSDS报告

产品标题

二乙二醇醚;二甘醇;二羟二乙醚;双甘醇;二(羟乙基)醚

CAS号

111-46-6

化学品及企业标识

PRODUCT NAME

KODAK EKTACOLOR PRIME SP DEVELOPER REPLENISHER CONCENTRATE

NFPA

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Professional colour paper photographic processing solution.

SYNONYMS

"photographic processing solution", "CIN 10074548", "PCD 6408"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful if swallowed.

May cause SENSITIZATION by skin contact.

Irritating to eyes and skin.

Toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in sore throat, abdominal pain, with central nervous system effects, headache, dizziness, drowsiness.

EYE

This material can cause eye irritation and damage in some persons. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. Toxic effects may result from skin absorption. Open cuts, abraded or irritated skin should not be exposed to this material. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

Inhalation may produce health damage*. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Not normally a hazard due to non-volatile nature of product. Inhalation of vapor may aggravate a pre-existing respiratory condition such as asthma, bronchitis, emphysema.

CHRONIC HEALTH EFFECTS

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are usually by skin contact/eye contact with the material. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. The material may accumulate in the human body and progressively cause tissue damage. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.