

www.xiyashiji.com

#### 化学品安全技术说明书

填表时间 2020-03-09

打印时间 2025-12-29

## MSDS标题

JOHNSONDIVERSEY DIVOS 2 MSDS报告

## 产品标题

氢氮水

#### CAS号

7697-37-2

化学品及企业标识

## **PRODUCT NAME**

JOHNSONDIVERSEY DIVOS 2

## **NFPA**

Flammability	0
Toxicity	2
Body Contact	4
Reactivity	2
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Acid cleaner for membrane filtration systems.

#### **SYNONYMS**

"3672195 Divos 2 200L", "HH11267 Divos 2 1000L"

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

#### **RISK**

Contact with combustible material may cause fire.

Harmful by inhalation.

Causes severe burns.

Risk of serious damage to eyes.

May cause long- term adverse effects in the environment.

Harmful to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

# POTENTIAL HEALTH EFFECTS

#### ACUTE HEALTH EFFECTS

## **SWALLOWED**

The material can produce severe chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion of acidic corrosives may produce burns around and in the mouth. the throat and esophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Swelling of the epiglottis may make it difficult to breathe which may result in suffocation. More severe exposure may result in vomiting blood and thick mucus, shock, abnormally low blood pressure, fluctuating pulse, shallow respiration and clammy skin, inflammation of stomach wall, and rupture of esophageal tissue. Untreated shock may eventually result in kidney failure. Severe cases may result in perforation of the stomach and abdominal cavity with consequent infection, rigidity and fever. There may be severe narrowing of the esophageal or pyloric sphincters; this may occur immediately or after a delay of weeks to years. There may be coma and convulsions, followed by death due to infection of the abdominal cavity, kidneys or lungs. As absorption of phosphates from the bowel is poor, poisoning this way is less likely. Effects can include vomiting, tiredness, fever, diarrhea, low blood pressure, slow pulse, cyanosis, spasms of the wrist, coma and severe body spasms.

#### **EYE**

The material can produce severe chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild

burns of the epithelia generally recover rapidly and completely. Severe burns produce long-lasting and possibly irreversible damage. The appearance of the burn may not be apparent for several weeks after the initial contact. The cornea may ultimately become deeply opaque resulting in blindness.

#### **SKIN**

The material can produce severe chemical burns following direct contactwith the skin. Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Reactions may not occur on exposure but response may be delayed with symptoms only appearing many hours later. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

#### **INHALED**

If inhaled, this material can irritate the throat andlungs of some persons. Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness. Swelling of the lungs can occur, either immediately or after a delay; symptoms of this include chest tightness, shortness of breath, frothy phlegm and cyanosis. Lack of oxygen can cause death hours after onset. Inhalation hazard is increased at higher temperatures.

## CHRONIC HEALTH EFFECTS

Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs. Chronic exposure may inflame the skin or conjunctiva. Sodium phosphate dibasic can cause stones in the kidney, loss of mineral from the bones and loss of thyroid gland function.