

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-31

打印时间 2026-05-23

MSDS标题

KEMIN SAL CURB RM EXTRA LIQUID MSDS报告

产品标题

福尔马林;福美林;甲醛水

CAS号

50-00-0

化学品及企业标识

PRODUCT NAME

KEMIN SAL CURB RM EXTRA LIQUID

NFPA

Flammability	0
Toxicity	3
Body Contact	3
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Salmonella inhibitor.

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Causes burns.
Risk of serious damage to eyes.
May cause SENSITIZATION by skin contact.
Limited evidence of a carcinogenic effect.
Toxic by inhalation, in contact with skin and if swallowed.
Harmful to aquatic organisms.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.

EYE

If applied to the eyes, this material causes severe eye damage. The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating.

SKIN

Skin contact with the material may produce toxic effects; systemic effects may result following absorption. The material can produce chemical burns following direct contact with the skin. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

If inhaled, this material can irritate the throat and lungs of some persons. Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce toxic effects.

CHRONIC HEALTH EFFECTS

There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment.

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis.

Xinya