

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-26

打印时间 2025-12-20

MSDS标题

JAMES WALKER ROFLON 140F MSDS报告

产品标题

纤维玻璃

CAS号

65997-17-3

化学品及企业标识

PRODUCT NAME

JAMES WALKER ROFLON 140F

NFPA

Flammability	0
Toxicity	2
Body Contact	2
Reactivity	0
Chronic	0
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Packing material

SYNONYMS

"braided glass fibre packing", "packing material"

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Not normally a hazard due to the physical form of product. The material is a physical irritant to the gastrointestinal tract.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may cause transient discomfort characterized by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. The material is mildly abrasive and may produce discomfort which results in a temporary skin rash. Discomfort is accentuated by fiber adhering to sweaty skin at higher temperatures.

INHALED

There is some evidence to suggest that this material, if inhaled, can irritate the throat and lungs of some persons. Although inhalation is not thought to produce harmful effects, the material may still produce health damage, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally confined to doses producing mortality (death) rather than those producing morbidity (disease, ill- health). The dust may produce upper respiratory tract discomfort. Nose and throat discomfort may be transitory. Cutting and trimming may result in fiber dislodgment and dust production. Effects on lungs are significantly enhanced in the presence of respirable particles.

CHRONIC HEALTH EFFECTS

Inhalation of fumes from burning material may cause polymer fume fever, a temporary flu-like illness with fever, chills, and sometimes a cough, of approximately 24 hours duration. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.