

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-31

打印时间 2025-08-02

MSDS标题

JAL PHOS GEL MSDS报告

产品标题

正磷酸;缩原磷酸;乙烯利水剂

CAS号

7664-38-2

化学品及企业标识

PRODUCT NAME

JAL PHOS GEL

NFPA

Flammability	0
Toxicity	1
Body Contact	3
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Rust and oxidation remover. Apply neat with brush; rinse of with water.

SYNONYMS

"rust oxidation remover", cleaner

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Irritating to eyes and skin.

Harmful to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre- existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

This material can cause inflammation of the skin oncontact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. Bare unprotected skin should not be exposed to this material. The material may accentuate any pre-existing dermatitis condition. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by skin contact, eye contact with the material and inhalation of vapor/spray mist. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. A severe exposure by inhalation of mist may cause cyanosis and in extreme pulmonary oedema (lung damage).

Xinya