

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2020-03-09

打印时间 2025-07-07

## MSDS标题

KIT AMPL IC DET 96 TESTS EXPT-IVD CE - BOTTLE 3 MSDS报告

## 产品标题

N,N-二甲基甲酰胺(DMF)

#### CAS号

68-12-2

化学品及企业标识

# **PRODUCT NAME**

KIT AMPL IC DET 96 TESTS EXPT-IVD CE - BOTTLE 3

## **NFPA**

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	3

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Diagnostic product.

#### CANADIAN WHMIS SYMBOLS

## **EMERGENCY OVERVIEW**

#### **RISK**

Irritating to eyes.

May cause harm to the unborn child.

HARMFUL - May cause lung damage if swallowed.

Harmful by inhalation and in contact with skin.

## POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

The material is not thought to produce adverse health effects following ingestion (as classified using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum.

### **EYE**

This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

#### **SKIN**

Skin contact with the material may be harmful; systemic effects may resultfollowing absorption. The material is not thought to be a skin irritant (as classified using animal models). Temporary discomfort, however, may result from prolonged dermal exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Toxic effects may result from skin absorption. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

## **INHALED**

The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of vapors or aerosols (mists, fumes),

generated by the material during the course of normal handling, may be harmful.

## **CHRONIC HEALTH EFFECTS**

Ample evidence exists, from results in experimentation, that developmental disorders are directly caused by human exposure to the material.

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

