

化学品安全技术说明书

填表时间 2019-12-31

打印时间 2026-03-27

**MSDS标题**

KLEN INTERNATIONAL LITHARGE MSDS报告

**产品标题**

一氧化铅;黄丹

**CAS号**

1317-36-8

**化学品及企业标识**

**PRODUCT NAME**

KLEN INTERNATIONAL LITHARGE

**NFPA**

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	3

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

**PRODUCT USE**

Gold assay flux.

## **SYNONYMS**

"lead monoxide", "lead oxide", "lead (II) oxide", "lead oxide yellow", massicot

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

### **RISK**

Danger of cumulative effects.

May cause harm to the unborn child.

Possible risk of impaired fertility.

Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

Harmful by inhalation and if swallowed.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## **POTENTIAL HEALTH EFFECTS**

### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

#### **EYE**

There is some evidence to suggest that this material can cause eye irritation and damage in some persons. This material can cause eye irritation and damage in some persons.

#### **SKIN**

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

## **INHALED**

Inhalation of dusts, generated by the material, during the course of normal handling, may be harmful. There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

## **CHRONIC HEALTH EFFECTS**

Ample evidence exists that developmental disorders are directly caused by human exposure to the material.

Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. This has been demonstrated via both short- and long-term experimentation. There is some evidence that human exposure to the material may result in developmental toxicity. This evidence is based on animal studies where effects have been observed in the absence of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not secondary non-specific consequences of the other toxic effects. Exposure to the material may cause concerns for human fertility, on the basis that similar materials provide some evidence of impaired fertility in the absence of toxic effects, or evidence of impaired fertility occurring at around the same dose levels as other toxic effects, but which are not a secondary non-specific consequence of other toxic effects. Lead, in large amounts, can affect the blood, nervous system, heart, glands, immune system and digestive system. Anemia may occur. If untreated muscles may become paralyzed, and there may be brain damage. Symptoms include joint and muscle pain, weakness in the back of the forearm and wrist and in the shin muscles, headaches, dizziness, abdominal pain, diarrhea or constipation, nausea, vomiting, blue line on gums, sleep disturbance and a metallic taste in the mouth. The pressure in the brain may increase with high doses, and cause brain damage, coma, and death. Early signs include loss of appetite and weight, constipation, tiredness and irritability, headache, weakness. Later there may be vomiting, nervousness, and muscle pains in the arms and legs. Serious cases cause severe vomiting, inco-ordination, stupor, permanent eye damage, high blood pressure, multiple nerve disorders of the head resulting in paralysis and loss of reflexes, delirium, convulsions and coma. The kidneys may become irreversibly damaged, and the nervous system may become affected causing mental retardation, cerebral palsy, and jerks and seizures. Lead can cross the placenta, and cause miscarriage, stillbirths and birth defects. Exposure before birth can cause mental retardation, behavioral disorders and infant death. Lead can also cause reduced sex drive, impotence, sterility and damage the sperm of males, increasing the potential for birth defects. Periods in women can also be affected.