

www.xiyashiji.com

### 化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-11-17

# MSDS标题

HACH PHOSPHATE PRETREATMENT POWDER PILLOWS MSDS报告

# 产品标题

焦硫酸钾

#### CAS号

7790-62-7

化学品及企业标识

# **PRODUCT NAME**

HACH PHOSPHATE PRETREATMENT POWDER PILLOWS

# **NFPA**

Flammability	0
Toxicity	2
Body Contact	3
Reactivity	0
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Laboratory reagent.

#### **SYNONYMS**

"laboratory reagent.", "potassium pyrosulfate", "potassium hydrogen sulfate"

#### **CANADIAN WHMIS SYMBOLS**

#### **EMERGENCY OVERVIEW**

#### **RISK**

Causes burns. Risk of serious damage to eyes.

#### POTENTIAL HEALTH EFFECTS

# **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion may result in nausea, abdominal irritation, pain and diarrhea. Acute potassium poisoning after swallowing is rare, because vomiting usually occurs and renal excretion is fast. Potassium causes a slow, weak pulse, irregularities in heart rhythm, heart block and an eventual fall in blood pressure. Breathing initially becomes faster but the muscles of breathing eventually become paralyzed. There can be loss of appetite, extreme thirst, increased volumes of urine, fever, convulsions and gastric disturbances; death may then occur due to failure of breathing and inflammation of the stomach and bowel. Sulfates are not well absorbed orally, but can cause diarrhea.

#### **EYE**

The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

#### SKIN

The material can produce chemical burns following direct contactwith the skin. Solution of material in moisture on the skin, or perspiration, mayincrease irritant effects. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

#### **INHALED**

If inhaled, this material can irritate the throat andlungs of some persons. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.

# **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are by accidental skin and eye contact andinhalation of generated dusts. No human exposure data available. For this reason health effects described are based on experience with chemically related materials. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

