MSDS 说明书



www.xiyashiji.com

#### 化学品安全技术说明书

填表时间 2020-01-06

打印时间 2025-09-16

#### MSDS标题

HACH ERIOCHROME BLACK T (C.I. 14645) MSDS报告

#### 产品标题

媒介黑T

#### CAS号

1787-61-7

化学品及企业标识

# **PRODUCT NAME**

HACH ERIOCHROME BLACK T (C.I. 14645)

# NFPA

Flammability	1
Toxicity	0
Body Contact	0
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

# **PRODUCT USE**

Indicator for magnesium and calcium.

# **SYNONYMS**

"laboratory reagent", "metal indicator"

## **CANADIAN WHMIS SYMBOLS**

### **EMERGENCY OVERVIEW**

#### RISK

### **POTENTIAL HEALTH EFFECTS**

### **ACUTE HEALTH EFFECTS**

### **SWALLOWED**

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

### EYE

Although the material is not thought to be an irritant, direct contact with the eye may cause transient discomfort characterized by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.

### SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

## **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

## **CHRONIC HEALTH EFFECTS**

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Some azo dyes may be able to cause mutations and be associated with thedevelopment of bladder cancer.