

化学品安全技术说明书

填表时间 2020-03-09

打印时间 2026-04-30

**MSDS标题**

HF 4000 NTU STOCK SOLUTION - FORMAZIN KIT MSDS报告

**产品标题**

乌洛托品;促进剂H;六甲撑四胺

**CAS号**

100-97-0

**化学品及企业标识**

**PRODUCT NAME**

HF 4000 NTU STOCK SOLUTION - FORMAZIN KIT

**NFPA**

Flammability	0
Toxicity	2
Body Contact	2
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

**PRODUCT USE**

Reagent.

## **SYNONYMS**

"laboratory reagent"

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

## **RISK**

May cause SENSITIZATION by inhalation and skin contact.

## **POTENTIAL HEALTH EFFECTS**

## **ACUTE HEALTH EFFECTS**

## **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

## **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn). The liquid may produce eye discomfort causing smarting, pain and redness.

## **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Sensitization may result in allergic dermatitis responses including rash, itching, hives or swelling of extremities. Toxic effects may result from skin absorption.

## **INHALED**

The material is not thought to produce adverse health effects or irritation

of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product.

## **CHRONIC HEALTH EFFECTS**

Inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Primary route of exposure is usually by skin contact/absorption. Sensitization may give severe responses to very low levels of exposure, i.e. hypersensitivity. Sensitized persons should not be allowed to work in situations where exposure may occur. Sensitization reactions may appear suddenly after repeated symptom free exposures. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.