

www.xiyashiji.com

### 化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-07-08

### MSDS标题

JOHNSON BOLT CRAWLING INSECT KILLER MSDS报告

### 产品标题

片状氯化镁;氯化镁;超干氯化镁

### CAS号

7786-30-3

化学品及企业标识

# **PRODUCT NAME**

JOHNSON BOLT CRAWLING INSECT KILLER

## **NFPA**

Flammability	3
Toxicity	2
Body Contact	2
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Insecticide surface spray for the residual control of crawling insects.

#### **SYNONYMS**

"insecticide surface spray", "insect repellent"

### CANADIAN WHMIS SYMBOLS

### **EMERGENCY OVERVIEW**

#### **RISK**

May cause SENSITIZATION by skin contact.

Extremely flammable.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Risk of explosion if heated under confinement.

### POTENTIAL HEALTH EFFECTS

#### ACUTE HEALTH EFFECTS

#### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

#### **EYE**

There is some evidence to suggest that this material can causeeye irritation and damage in some persons.

#### **SKIN**

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. The material is not thought to be a skin irritant (as classified using animal models). Temporary discomfort, however, may result from prolonged dermal exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Toxic effects may result from skin absorption. Open cuts, abraded or irritated skin should not be exposed to this material.

#### **INHALED**

Inhalation may produce health damage\*. There is some evidence to suggest that this material, if inhaled, can irritate the throat and lungs of some persons. Inhalation hazard is increased at higher temperatures. Acute effects from inhalation of high vapor concentrations may be chest and nasal irritation with coughing, sneezing, headache and even nausea. WARNING: Intentional misuse by concentrating/inhaling contents may be lethal.

### **CHRONIC HEALTH EFFECTS**

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are usually by skin contact/absorption and inhalation of vapor/spray mist. Chronic solvent inhalation exposures may result in nervous system impairment and liver and blood changes. [PATTYS]. Prolonged or continuous skin contact with the liquid may cause defatting with drying, cracking, irritation and dermatitis following. WARNING: Aerosol containers may present pressure related hazards.

