

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-10-18

MSDS标题

KING-LEE MEMBRANE CLEANER KL7330 MSDS报告

产品标题

硼砂;黄月砂

CAS号

1303-96-4

化学品及企业标识

PRODUCT NAME

KING-LEE MEMBRANE CLEANER KL7330

NFPA

Flammability	0
Toxicity	2
Body Contact	1
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Membrane cleaner.

SYNONYMS

"detergent KL-7330"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre- existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Borate poisoning causes nausea, vomiting, diarrhea and pain in the upper abdomen. Often persistent vomiting occurs, and there may be blood in the feces. There may also be weakness, lethargy, headache, restlessness, tremors and convulsions. All borates cause similar effects; the lethal dose is over 30 grams. Poisoning initially stimulates the central nervous system before causing depression, as well as disturbing the digestive system, causing skin eruptions, and damage to the liver and kidneys. Borate is mostly eliminated from the body via the kidneys.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn). The dust may produce eye discomfort causing smarting, pain and redness.

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material.

INHALED

Inhalation may produce health damage*. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of small amounts of dust or fume over long periods may causepoisoning. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by skin contact and inhalation of generated dust. Borate can accumulate in the testes and deplete germ cells and cause withering of the testicles, according to animal testing. Hair loss, skin inflammation, stomach ulcer and anemia can all occur. Repeated swallowing or inhalation irritates the stomach, causes a loss of appetite, disturbed digestion, nausea and vomiting, red rash, dry skin and mucous membranes, reddening of the tongue, cracking of the lips, inflamed conjunctiva, swelling of the eyelids and kidney injury. Prolonged ingestion causes effects to the reproductive system in both males and females. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.