

## 化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-04-20

### MSDS标题

H.B. FULLER SPRAY BOND ADHESIVE MSDS报告

### 产品标题

己烷

### CAS号

110-54-3

### 化学品及企业标识

## PRODUCT NAME

H.B. FULLER SPRAY BOND ADHESIVE

## NFPA

Flammability	4
Toxicity	3
Body Contact	2
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

## PRODUCT USE

Application is by spray atomization from a hand held aerosol pack. Used in art and craft as a spray adhesive. Shake aerosol can and spray onto areas to be bonded.

# **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

### **RISK**

Irritating to skin.

Possible risk of impaired fertility.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Extremely flammable.

Vapors may cause dizziness or suffocation.

Harmful to aquatic organisms.

Risk of explosion if heated under confinement.

### **POTENTIAL HEALTH EFFECTS**

#### **ACUTE HEALTH EFFECTS**

##### **SWALLOWED**

Not normally a hazard due to physical form of product. Considered an unlikely route of entry in commercial/industrial environments.

##### **EYE**

Limited evidence or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals. Prolonged eye contact may cause inflammation characterized by a temporary redness of the conjunctiva (similar to windburn).

##### **SKIN**

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition. Spray mist may produce discomfort. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

##### **INHALED**

Inhalation may produce health damage\*. **WARNING:** Intentional misuse by concentrating/inhaling contents may be lethal. Inhalation of toxic gases may cause:

- Central Nervous System effects including depression, headache, confusion, dizziness, stupor, coma and seizures;
- respiratory: acute lung

swellings, shortness of breath, wheezing, rapid breathing, other symptoms and respiratory arrest; · heart: collapse, irregular heartbeats and cardiac arrest; · gastrointestinal: irritation, ulcers, nausea and vomiting (may be bloody), and abdominal pain. There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. If exposure to highly concentrated solvent atmosphere is prolonged this may lead to narcosis, unconsciousness, even coma and possible death.

## **CHRONIC HEALTH EFFECTS**

Harmful: danger of serious damage to health by prolonged exposure through inhalation. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. This has been demonstrated via both short- and long-term experimentation.

Xinya