

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2026-03-29

**MSDS标题**

HB FULLER HOTMELT HM 0030 MSDS报告

**产品标题**

切片石蜡;石蜡;石油蜡

**CAS号**

8002-74-2

**化学品及企业标识**

**PRODUCT NAME**

HB FULLER HOTMELT HM 0030

**NFPA**

Flammability	1
Toxicity	1
Body Contact	2
Reactivity	0
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

**PRODUCT USE**

Case and carton sealing hot melt adhesive, where high speed and quality are required.

## **SYNONYMS**

"HM0030 case and carton sealing hot melt adhesive"

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

## **RISK**

## **POTENTIAL HEALTH EFFECTS**

### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

#### **EYE**

There is some evidence to suggest that this material can cause eye irritation and damage in some persons. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

#### **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

#### **INHALED**

There is some evidence to suggest that this material, if inhaled, can irritate the throat and lungs of some persons. Although inhalation is not

thought to produce harmful effects, the material may still produce health damage, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally confined to doses producing mortality (death) rather than those producing morbidity (disease, ill- health).

## **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are usually by skin contact/eye contact with the molten material and inhalation of vapor from heated material. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

Xinya