

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-12-14

MSDS标题

HYDRAZINE SULFATE MSDS报告

产品标题

硫酸肼;肼硫酸盐

CAS号

10034-93-2

化学品及企业标识

PRODUCT NAME

HYDRAZINE SULFATE

NFPA

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	3

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Manufacture of chemicals, reducing agent in textile treatments, catalyst in making acetate fibres; component of fluxes. Analysis of minerals, determination of arsenic in metals; separation of polonium from tellurium; fungicide. Also used as germicide.

SYNONYMS

N₂H₄.H₂SO₄, N₂-H₆-S-O₄, N₂-H₆-S-O₄, "hydrazine monosulphate monosulfate", "hydrazinium sulphate sulfate", "hydrazonium sulfate", "hydrazine sulphate (1:1)", "hydrazine sulfate (1:1)"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful if swallowed.

May cause CANCER.

Harmful to aquatic organisms.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Hydrazine (and some of its derivatives), is a strong convulsant in laboratory animals and can cause central nervous system (CNS) depression or stimulation. Symptoms of CNS depression may include nonspecific discomfort, giddiness, headache, dizziness, nausea, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in respiratory depression and may be fatal. CNS stimulation may produce dyspnea, coughing, bronchospasm, and laryngospasm. Muscular involvement may produce symptoms ranging from fasciculation to spasticity or seizures. Headache, dizziness and confusion may also result as can hyperpyrexia or a sensation of warmth. Other symptoms may include nausea, vomiting, diarrhoea and difficulty in urination. Cardiovascular involvement may produce alterations in blood pressure or arrhythmia. Pulmonary oedema and cardiovascular collapse also seem to be a feature of acute hydrazine poisonings. Animals that survive for more than a day frequently develop liver necrosis and renal failure. As judged by a few severe poisonings, man reacts like monkey in the sense that liver injury is more severe than kidney failure. Severe hypoglycaemia may develop even earlier than liver necrosis although this is rarely mentioned in the literature. Sulfates are not well absorbed orally, but can cause diarrhea.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn). The material may produce moderate

eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Toxic effects may result from skin absorption.

INHALED

Inhalation may produce health damage*. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Symptoms of inhalation of hydrazine (and some of its derivatives), may include nausea and headache. Central nervous system (CNS) excitability may lead to convulsions and, in severe cases, respiratory arrest and death. Several instances of systemic poisoning, by hydrazine, have been reported in humans. These mainly involve the CNS, respiratory system and stomach. CNS stimulation may produce twitching of the extremities, clonic movements, hyperreflexia, convulsions and pyrexia; these may progress to lethargy, ataxia, confusion, coma and hypotension. Oliguria, haematuria, hyperglycaemia and/ or hypoglycaemia and elevated LFTs are common. Leucocytosis, paraesthesia and peripheral neuropathies may be delayed for several days. Respiratory (and dermal) exposure may produce deficits in concentration, comprehension, memory, task performance and mood status. Irritation of the mucous membranes may produce rhinitis, salivation, coughing, choking and dyspnoea.

CHRONIC HEALTH EFFECTS

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.

Principal routes of exposure are by accidental skin and eye contact and inhalation of generated dusts. The material may accumulate in the human body and progressively cause tissue damage. When administered orally hydrazine sulfate induced pulmonary adenomas and adenocarcinomas, hepatomas and hepatocarcinomas in mice of both sexes. When administered orally, hydrazine induced pulmonary adenomas and adenocarcinomas in mice. Inhalation induced lung carcinomas and lymphosarcomas of the spleen in female mice. A study of 423 men, involved in the manufacture of hydrazine revealed three stomach, one prostate and a neurogenic cancer. Hydrazine derivatives tend to be local irritants and cause convulsions, liver damage, and destruction of red blood cells. They also damage the kidneys, and cause stimulation of the central nervous system with tremors and convulsions, progressing to depression, respiratory collapse and death.