

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-10-19

#### MSDS标题

O-PHENYLPHENOL MSDS报告

#### 产品标题

2-羟基联苯;2-苯基苯酚;(1,1'-二苯基)-2-酚;邻羟基联苯

#### CAS号

90-43-7

化学品及企业标识

## **PRODUCT NAME**

O-PHENYLPHENOL

## **NFPA**

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Used for germicide and fungicide preparations and household disinfectant. Used as an intermediate for dyes, textiles, rubber chemicals, laboratory reagent and in phenolic resins for food can coatings, electrical insulating varnishes. Deoxyribonuclease inhibitor. Reagent for the determination of trioses.

#### **SYNONYMS**

C12-H10-O, 2-biphenylol, 2-biphenylol, "2-hydroxy biphenyl", "2-hydroxy biphenyl", "(1, 1-biphenyl)-2-ol", "(1, 1-biphenyl)-2-ol", o-biphenylol, o-biphenylol, o-diphenylol, o-diphenylol, "dowicide 1", o-hydroxydiphenyl, o-hydroxydiphenyl, 2-hydroxydiphenyl, 2-hydroxydiphenyl, OPP, orthohydroxydiphenyl, orthophenylphenol, "o-phenyl phenol", "o-phenyl phenol", "ortho phenylphenol", "hydroxy-2 diphenyl", 2-phenylphenol, 2-phenylphenol, o-xenol, o-xenol, "preventol o extra", "remol TRF", "tetrosin OE", torsite, tumescal

## CANADIAN WHMIS SYMBOLS

#### **EMERGENCY OVERVIEW**

#### **RISK**

Harmful if swallowed. Irritating to eyes, respiratory system and skin. Very toxic to aquatic organisms.

# POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

## **SWALLOWED**

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Some phenol derivatives can cause damage to the digestive system. If absorbed, profuse sweating, thirst, nausea, vomiting diarrhea, cyanosis, restlessness, stupor, low blood pressure, gasping, abdominal pain, anemia, convulsions, coma and lung swelling can happen followed by pneumonia. There may be respiratory failure and kidney damage. Chemical burns, seizures and irregular heartbeat may result.

#### **EYE**

There is evidence that material may produce eye irritation in some persons and produce eye damage 24 hours or more after instillation. Severe inflammation may be expected with pain. There may be damage to the cornea. Unless treatment is prompt and adequate there may be permanent loss of vision. Conjunctivitis can occur following repeated exposure. Some phenol derivatives may produce mild to severe eye irritation with redness, pain and blurred vision. Permanent eye injury may occur; recovery may also be complete or partial.

#### **SKIN**

The material may cause moderate inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterized by redness, swelling and Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Phenol and its derivatives can cause severe skin irritation if contact is maintained, and can be absorbed to the skin affecting the cardiovascular and central nervous system. Effects include sweating, intense thirst, nausea and vomiting, diarrhea, cyanosis, restlessness, stupor, low blood pressure, hyperventilation, abdominal pain, anemia, convulsions, coma, lung swelling followed by pneumonia. Respiratory failure and kidney damage may follow. Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

#### **INHALED**

Inhalation may produce health damage\*. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If phenols are absorbed via the lungs, systemic effects may occur affecting the cardiovascular and nervous systems. Inhalation can result in profuse perspiration, intense thirst, nausea, vomiting, diarrhea, cyanosis, restlessness, stupor, falling blood pressure, hyperventilation, abdominal pain, anemia, convulsions, coma, swelling and inflammation of the lung. This is followed by respiratory failure and kidney damage. Phenols also cause loss of sensation and general depression at high concentrations. The toxicities of phenol derivatives vary.

#### CHRONIC HEALTH EFFECTS

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Long-term exposure to phenol derivatives can cause skin inflammation, loss of appetite and weight, weakness, muscle aches and pain, liver damage, dark urine, loss of nails, skin eruptions, diarrhea, nervous disorders with headache, salivation, fainting, discoloration of the skin and eyes, vertigo and mental disorders, and damage to the liver and kidneys. Long term exposure to high dust

concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

