

## 化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-04-19

### MSDS标题

WACKER TETRABOR MSDS报告

### 产品标题

碳化硼

### CAS号

12069-32-8

化学品及企业标识

### PRODUCT NAME

WACKER TETRABOR

### NFPA

Flammability	0
Toxicity	0
Body Contact	0
Reactivity	0
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

### PRODUCT USE

Used according to manufacturer' s directions.

## **SYNONYMS**

"boron carbide", "Tetrabore (misspelling)"

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

## **RISK**

## **POTENTIAL HEALTH EFFECTS**

## **ACUTE HEALTH EFFECTS**

### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

### **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

### **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

### **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

## CHRONIC HEALTH EFFECTS

Indicators are that short term exposure to the material by all routes is not harmful. Considered to be non toxic. Principal routes of exposure are usually by skin contact and inhalation of generated dust. Prolonged or repeated exposure by workers may produce acute and chronic inflammatory upper airway disease, bronchitis, emphysema; lung fibrosis has been induced in animals. Inhaling ceramic fibers may increase the risk of tumors developing. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

Xinya