

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-06-17

MSDS标题

WELLCOME CODRAL FORTE (ASPIRIN + CODEINE PHO MSDS报告

产品标题

邻乙酰水杨酸;阿司匹林;阿斯匹林;醋柳酸;邻醋酸基苯甲酸;邻乙酰基水杨酸;乙酰基柳酸

CAS号

50-78-2

化学品及企业标识

PRODUCT NAME

WELLCOME CODRAL FORTE (ASPIRIN + CODEINE PHOSPHATE)

NFPA

Flammability	1
Toxicity	2
Body Contact	3
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Relief of severe pain which does not respond to milder analgesics but does not require the use of morphine or morphine substitutes. Not recommended where ulcers, bleeding disorders, kidney disease, asthma, anticoagulant therapy, or sensitivity to salicylates is known.

SYNONYMS

"aspirin 325 mg plus codeine phosphate 30 mg"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful if swallowed.

Danger of cumulative effects.

Risk of serious damage to eyes.

Irritating to respiratory system and skin.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Not considered an irritant through normal use.

EYE

If applied to the eyes, this material causes severe eye damage.

SKIN

This material can cause inflammation of the skin oncontact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions.

INHALED

If inhaled, this material can irritate the throat andlungs of some persons. Although inhalation is not thought to produce harmful effects, the material may still produce health damage, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally confined to doses producing mortality (death) rather than those producing morbidity (disease, ill- health).

CHRONIC HEALTH EFFECTS

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal route of exposure is usually by accidental ingestion. Repeated ingestion may cause tinnitus, abnormal bleeding (gastric or retinal), gastric ulcer, weight loss, mental deterioration, skin eruptions. May cause liver damage in susceptible individuals.

