

化 学 品 安 全 技 术 说 明 书

填表时间 2020-03-09

打印时间 2025-12-29

MSDS标题

WATERTEST MOLYBDATE MO6 HR TITRANT MSDS报告

产品标题

硝酸铅

CAS号

10099-74-8

化学品及企业标识

PRODUCT NAME

WATERTEST MOLYBDATE MO6 HR TITRANT

NFPA

Flammability	0
Toxicity	2
Body Contact	0
Reactivity	0
Chronic	3
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Used according to manufacturer' s directions.

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Danger of cumulative effects.

May cause harm to the unborn child.

Possible risk of impaired fertility.

Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

Harmful by inhalation and if swallowed.

Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

EYE

Although the liquid is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

SKIN

Skin contact is not thought to produce harmful health effects (as classified using animal models). Systemic harm, however, has been identified following exposure of animals by at least one other route and the material may still produce health damage following entry through wounds, lesions or abrasions. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material is not thought to produce respiratory irritation (as classified using animal

models). Nevertheless inhalation of vapors, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.

CHRONIC HEALTH EFFECTS

Exposure to the material for prolonged periods may cause physical defects in the developing embryo (teratogenesis). Lead, in large amounts, can affect the blood, nervous system, heart, glands, immune system and digestive system. Anemia may occur. If untreated muscles may become paralyzed, and there may be brain damage. Symptoms include joint and muscle pain, weakness in the back of the forearm and wrist and in the shin muscles, headaches, dizziness, abdominal pain, diarrhea or constipation, nausea, vomiting, blue line on gums, sleep disturbance and a metallic taste in the mouth. The pressure in the brain may increase with high doses, and cause brain damage, coma, and death. Early signs include loss of appetite and weight, constipation, tiredness and irritability, headache, weakness. Later there may be vomiting, nervousness, and muscle pains in the arms and legs. Serious cases cause severe vomiting, inco-ordination, stupor, permanent eye damage, high blood pressure, multiple nerve disorders of the head resulting in paralysis and loss of reflexes, delirium, convulsions and coma. The kidneys may become irreversibly damaged, and the nervous system may become affected causing mental retardation, cerebral palsy, and jerks and seizures. Lead can cross the placenta, and cause miscarriage, stillbirths and birth defects. Exposure before birth can cause mental retardation, behavioral disorders and infant death. Lead can also cause reduced sex drive, impotence, sterility and damage the sperm of males, increasing the potential for birth defects. Periods in women can also be affected. Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Ample evidence exists that developmental disorders are directly caused by human exposure to the material. There is some evidence that human exposure to the material may result in developmental toxicity. This evidence is based on animal studies where effects have been observed in the absence of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not secondary non-specific consequences of the other toxic effects. Lead can accumulate in the skeleton for a very long time.