

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-09-16

## MSDS标题

QIAGEN BUFFER ASL MSDS报告

#### 产品标题

四乙酸二氨基乙烯;托立龙

#### CAS号

60-00-4

化学品及企业标识

# **PRODUCT NAME**

QIAGEN BUFFER ASL

# **NFPA**

Flammability	0
Toxicity	0
Body Contact	0
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Used according to manufacturer's directions. Laboratory reagent

### CANADIAN WHMIS SYMBOLS

## **EMERGENCY OVERVIEW**

**RISK** 

### POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

### **SWALLOWED**

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

### **EYE**

Although the liquid is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

## **SKIN**

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

## **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

## **CHRONIC HEALTH EFFECTS**

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population. Injection of EDTA and it salts can cause severe kidney damage with tissue death and internal bleeding, bone marrow depression and critically low levels of calcium. Exposure to Sulfonates can cause an imbalance in cellular salts and therefore cellular function. Airborne sulfonates may be responsible for respiratory allergies and, in some instances, minor dermal allergies.

