MSDS 说明书



www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-26

打印时间 2025-08-29

MSDS标题

QUEST BIOBAKE FRESH XL (AUSTRALIA) MSDS报告

产品标题

淀粉葡萄糖苷酶;葡萄糖淀粉酶

CAS号

9032-08-0

化学品及企业标识

PRODUCT NAME

QUEST BIOBAKE FRESH XL (AUSTRALIA)

NFPA

Flammability	1
Toxicity	0
Body Contact	0
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Used according to manufacturer's directions.

SYNONYMS

"Quest BioBake Fresh XL"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

May cause SENSITIZATION by inhalation.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may cause transient discomfort characterized by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

CHRONIC HEALTH EFFECTS

Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population. Dusts produced by enzymes can attack the respiratory system. Allergic asthma produced after exposure includes spasm, cough and wheezing. Other symptoms include chronic cough, phlegm, fever, muscle pains, fatigue, airway obstruction, and scarring at the top or base of the lungs. There may also be abdominal pain, headache, stomach-ache and a general feeling of unwellness. Prolonged contact can result in skin soreness, redness, inflammation and possible ulceration. There may also be loss of lung function due to scarring.