

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-08-22

# MSDS标题

YSI 2747 DUAL STANDARD MSDS报告

#### 产品标题

DL-乳酸锂;2-羟基丙酸锂

## CAS号

867-55-0

化学品及企业标识

# **PRODUCT NAME**

YSI 2747 DUAL STANDARD

# STATEMENT OF HAZARDOUS NATURE

Not considered a hazardous substance according to OSHA 29 CFR 1910.1200.

# **NFPA**

Flammability	0
Toxicity	0
Body Contact	0
Reactivity	0
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Laboratory reagent.

#### **SYNONYMS**

"laboratory reagent"

## **CANADIAN WHMIS SYMBOLS**

None

#### **EMERGENCY OVERVIEW**

**RISK** 

# POTENTIAL HEALTH EFFECTS

#### ACUTE HEALTH EFFECTS

### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

#### **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

## **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

# **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhalation of vapor is more likely at higher than normal temperatures.

# **CHRONIC HEALTH EFFECTS**

Indicators are that short term exposure to the material by all routesis not harmful. Principal routes of exposure are usually by skin contact/eye contact with the material.

