

www.xiyashiji.com

#### 化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-07-22

#### MSDS标题

XSYS PRINT SF-Y6500 ARROWSTAR WF; PROCESS YE 2, MSDS报告

#### 产品标题

T-丁基-1,4-苯酚;特丁基对苯二酚;叔丁基氢醌;2-特丁基对苯二酚

#### CAS号

1948-33-0

化学品及企业标识

# **PRODUCT NAME**

XSYS PRINT SF-Y6500 ARROWSTAR WF; PROCESS YE 2, 5 KG

# NFPA

Flammability	1
Toxicity	0
Body Contact	2
Reactivity	2
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

# **PRODUCT USE**

Printing inks / printing additive.

# **SYNONYMS**

"printing inks / printing additive"

# **CANADIAN WHMIS SYMBOLS**

# **EMERGENCY OVERVIEW**

# RISK

Contact with combustible material may cause fire. Very toxic to aquatic organisms.

# **POTENTIAL HEALTH EFFECTS**

# **ACUTE HEALTH EFFECTS**

# **SWALLOWED**

Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

#### EYE

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

### **SKIN**

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. The material may accentuate any pre-existing dermatitis condition. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

# **INHALED**

Not normally a hazard due to non-volatile nature of product. Acute effects from inhalation of high vapor concentrations may be chest and nasal irritation with coughing, sneezing, headache and even nausea.

### **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. Prolonged or continuous skin contact with the liquid may cause defatting with drying, cracking, irritation and dermatitis following. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population.