

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-04-20

MSDS标题

USF FILTRATION SULPHITE NO. 1 TABLETS MSDS报告

产品标题

酸式硫酸钾;焦硫酸钾

CAS号

7646-93-7

化学品及企业标识

PRODUCT NAME

USF FILTRATION SULPHITE NO. 1 TABLETS

NFPA

Flammability	0
Toxicity	0
Body Contact	2
Reactivity	0
Chronic	0
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Sulphite test for boiler water.

SYNONYMS

"sulphite test tablets No.1"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Irritating to eyes and skin.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

EYE

This material can cause eye irritation and damage in some persons. The dust is irritating to the eyes and may cause smarting, pain and redness.

SKIN

This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. High concentrations cause inflamed airways and watery swelling of the lungs with edema. Not considered an irritant through normal use.

CHRONIC HEALTH EFFECTS

Primary route of exposure is usually by skin contact. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

Xinya