

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-28

打印时间 2025-09-07

MSDS标题

YOUNGS LEVAMISOLE HYDROCHLORIDE SOLUTION MSDS报告

产品标题

2, 3, 5, 6-四氢-6-苯基咪唑[2,1-b]噻唑盐酸盐; 左旋咪唑盐酸盐

CAS号

16595-80-5

化学品及企业标识

PRODUCT NAME

YOUNGS LEVAMISOLE HYDROCHLORIDE SOLUTION

NFPA

Flammability	0
Toxicity	2
Body Contact	2
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Anthelmintic (Worming drench) for sheep and lambs. Administered by drenching gun. DO NOT use until supplied directions for use have been read and understood.

SYNONYMS

"Sheep lamb worming anthelmintic drench"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful if swallowed.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Sensitization may result in allergic dermatitis responses includingrash, itching, hives or swelling of extremities. Sensitization reactions may appear suddenly after repeatedsymptom free exposures. Toxic effects may result from skin absorption. Absorption by skin may readily exceed vapor inhalation exposure. Symptoms for skin absorption are the same as for inhalation. Bare unprotected skin should not be exposed to this material.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that

suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product. Inhalation of vapor may result in nausea, headache.

CHRONIC HEALTH EFFECTS

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are usually by skin contact/absorption and eye contact. Prolonged or repeated skin contact may cause drying with cracking,irritation and possible dermatitis following. Sensitization may give severe responses to very low levels of exposure, i.e. hypersensitivity. Sensitized persons should not be allowed to work in situations where exposure may occur. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

