

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-12-12

MSDS标题

YORKSHIRE CD20/X1711 GLOSS WHITE LAC Y90002***OBSO MSDS报告

产品标题

2, 6-二甲基-4-庚酮; 二异丁基甲酮

CAS号

108-83-8

化学品及企业标识

PRODUCT NAME

YORKSHIRE CD20/X1711 GLOSS WHITE LAC Y90002***OBSOLETE***

NFPA

Flammability	3
Toxicity	1
Body Contact	2
Reactivity	0
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Lacquer/coloured dressing for leather.

SYNONYMS

"white leather dressing leather colourant liquid", "white leather lacquer"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

HARMFUL - May cause lung damage if swallowed.

Irritating to eyes, respiratory system and skin.

Highly flammable.

Vapors may cause dizziness or suffocation.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

EYE

This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

Inhalation may produce health damage*. If inhaled, this material can irritate the throat and lungs of some persons. Inhalation of vapor is more likely at higher than normal temperatures.

CHRONIC HEALTH EFFECTS

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are usually by skin contact/eye contact and inhalation of vapor/spray mist. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice. One ingredient of the product has caused skin sensitization reactions, shown as localized reddening and hives, or may produce respiratory sensitization characterized by asthma-like symptoms and runny nose.