

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-27

打印时间 2025-03-17

MSDS标题

VINYL CHLOROFORMATE MSDS报告

产品标题

氯甲酸乙烯酯

CAS号

5130-24-5

化学品及企业标识

PRODUCT NAME

VINYL CHLOROFORMATE

NFPA

Flammability	3
Toxicity	3
Body Contact	3
Reactivity	2
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Intermediate.

SYNONYMS

C3-H3-Cl-O2, H2C=CHOC(O)Cl

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Reacts violently with water. Causes burns. Risk of serious damage to eyes. Highly flammable.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.

EYE

The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage.

SKIN

The material can produce chemical burns following direct contactwith the skin. Toxic effects may result from skin absorption.

INHALED

Inhalation may produce serious health damage*. If inhaled, this material can irritate the throat andlungs of some persons. Inhalation of quantities of liquid mist may be extremely hazardous, even lethal due to spasm, extreme irritation of larynx and bronchi, chemical pneumonitis and pulmonary edema.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. No human exposure data available. For this reason health effects described are based on experience with chemically related materials. As with any chemical product,

contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

