

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-09-14

# MSDS标题

UNION CARBIDE UCON HEAT TRANSFER FLUID 500 MSDS报告

# 产品标题

N-苯基-α-萘胺;防老剂A;N-1-苯基苯胺

## CAS号

90-30-2

化学品及企业标识

# **PRODUCT NAME**

UNION CARBIDE UCON HEAT TRANSFER FLUID 500

# **NFPA**

Flammability	1
Toxicity	0
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Used according to manufacturer's directions.

### CANADIAN WHMIS SYMBOLS

# **EMERGENCY OVERVIEW**

#### **RISK**

Irritating to eyes.

HARMFUL - May cause lung damage if swallowed.

Toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

# POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

Swallowing of the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis; serious consequences may result. (ICSC13733). The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

#### **EYE**

This material can cause eye irritation and damage in some persons.

## **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

#### **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless,

good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

# **CHRONIC HEALTH EFFECTS**

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population. Sensitization may give severe responses to very low levels of exposure, i.e. hypersensitivity. Sensitized persons should not be allowed to work in situations where exposure may occur. Sensitization may result in allergic dermatitis responses includingrash, itching, hives or swelling of extremities.

