

www.xiyashiji.com

化学品安全技术说明书

填表时间 2020-01-18

打印时间 2025-11-17

MSDS标题

XYLENE CYANOLE FF MSDS报告

产品标题

二甲苯蓝

CAS号

2650-17-1

化学品及企业标识

PRODUCT NAME

XYLENE CYANOLE FF

NFPA

Flammability	1
Toxicity	0
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Dye marker for agarose or acrylamide gel electrophoresis. Suitable as a tracking dye for DNA sequencing.



SYNONYMS

C25-H28-N2-O6-S2.Na, "C.I. 42135", cyclohexadien-1-ylidene)methyl-1, cyclohexadien-1-ylidene)methyl-1, "1, 3-benzenedisulfonic acid, 4-[[4-(ethylamino)-3-methylphenyl][4-(ethylimino)-3-methyl-2, 5-cyclohexadien-1-ylidene]methyl]-, monosodium salt", "1, 3-benzenedisulfonic acid, 4-[[4-(ethylamino)-3-methylphenyl][4-(ethylimino)-3-methyl-2, 5-cyclohexadien-1-ylidene]methyl]-, monosodium salt", "agarose/ acrylamide gel dye marker"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Irritating to eyes and respiratory system.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

EYE

This material can cause eye irritation and damage in some persons.

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. Not normally a hazard due to non-volatile nature of product.

CHRONIC HEALTH EFFECTS

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

