

www.xiyashiji.com

## 化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-11-19

## MSDS标题

UNIROYAL CASORON 4G MSDS报告

#### 产品标题

2,6-二氯苯甲腈;2,6-二氯苄腈;敌草腈;2,6-二氯氰苯;2,6-二氯苯基氰

#### CAS号

1194-65-6

化学品及企业标识

# **PRODUCT NAME**

UNIROYAL CASORON 4G

# **NFPA**

Flammability	1
Toxicity	0
Body Contact	0
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

# **PRODUCT USE**

Used according to manufacturer's directions.

#### **SYNONYMS**

benzonitrile

# **CANADIAN WHMIS SYMBOLS**

#### **EMERGENCY OVERVIEW**

#### **RISK**

Contact with acids liberates very toxic gas. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# POTENTIAL HEALTH EFFECTS

#### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

#### **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may cause transient discomfort characterized by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.

## **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

## **INHALED**

The material is not thought to produce adverse health effects or irritation

of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

#### CHRONIC HEALTH EFFECTS

Principal routes of exposure are by accidental skin and eye contact andinhalation of generated dusts. Chronic exposure to cyanides and certain nitriles may result in interference to iodine uptake by thyroid gland and its consequent enlargement. This occurs following metabolic conversion of the cyanide moiety to thiocyanate. Thyroid insufficiency may also occur as a result of metabolic conversion of cyanides to the corresponding thiocyanate. Exposure to small amounts of cyanide compounds over long periods are reported to cause loss of appetite, headache, weakness, nausea, dizziness, abdominal pain, changes in taste and smell, muscle cramps, weight loss, flushing of the face, persistent runny nose and irritation of the upper respiratory tract and eyes. These symptoms are not specific to cyanide exposure and therefore the existence of a chronic cyanide toxicity remains speculative. Repeated minor contact with cyanides produce a characteristic rash with itching, papules (small, superficial raised spots on the skin) and possible sensitization. Concerns have been expressed that low-level, long term exposures may result in damage to the nerves of the eye.

