

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-27

打印时间 2025-07-03

MSDS标题

VANADIUM(III) CHLORIDE-TETRAHYDROFURAN COMP MSDS报告

产品标题

三氯化矾四氢呋喃络合物

CAS号

19559-06-9

化学品及企业标识

PRODUCT NAME

VANADIUM(III) CHLORIDE-TETRAHYDROFURAN COMPLEX (1:3)

NFPA

Flammability	1
Toxicity	2
Body Contact	3
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Intermediate.

SYNONYMS

C12-H24-Cl3-O3-V, "vanadium trichloride-tetrahydrofuran complex (1:3)",
trichlorotris(tetrahydrofuran)vanadium

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Causes burns.

Risk of serious damage to eyes.

Harmful to aquatic organisms.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and esophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Swelling of the epiglottis may make it difficult to breathe which may result in suffocation. More severe exposure may result in vomiting blood and thick mucus, shock, abnormally low blood pressure, fluctuating pulse, shallow respiration and clammy skin, inflammation of stomach wall, and rupture of esophageal tissue. Untreated shock may eventually result in kidney failure. Severe cases may result in perforation of the stomach and abdominal cavity with consequent infection, rigidity and fever. There may be severe narrowing of the esophageal or pyloric sphincters; this may occur immediately or after a delay of weeks to years. There may be coma and convulsions, followed by death due to infection of the abdominal cavity, kidneys or lungs. Vanadium poisoning causes immediate distress with nose bleeds, severe diarrhea, paralysis of the legs, breathing difficulties, convulsions and death. The liver and kidneys may degenerate, and sometimes there can be bleeding from the lung and adrenal cortex. Vanadium is about as toxic as arsenic. Ingestion of tetrahydrofuran may not, in itself, produce internal injury, however, contaminating levels of furan, present in certain grades of commercial product, may produce liver and kidney injury. The intake of alcoholic beverages may enhance the toxic effects of tetrahydrofuran.

EYE

The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the

eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild burns of the epithelia generally recover rapidly and completely. Severe burns produce long-lasting and possibly irreversible damage. The appearance of the burn may not be apparent for several weeks after the initial contact. The cornea may ultimately become deeply opaque resulting in blindness.

SKIN

The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material. Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Inhalation may produce health damage*. If inhaled, this material can irritate the throat and lungs of some persons. Inhalation of dusts, generated by the material during the course of normal handling, may be damaging to the health of the individual. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness. Swelling of the lungs can occur, either immediately or after a delay; symptoms of this include chest tightness, shortness of breath, frothy phlegm and cyanosis. Lack of oxygen can cause death hours after onset. The inhalation of vanadium dust can cause irritation of the respiratory tract and eyes, with cough, wheezing, bronchitis, phlegm with blood stains, and blackening of the tongue. Internal symptoms may include loss of appetite, anemia, nausea, headache, sleep difficulties, nervousness, dizziness, kidney damage, tremor, psychic disturbances and blindness. Overexposure to tetrahydrofuran, by inhalation, may result in irritation of the mucous membranes and may produce coughing, chest pains, nausea, dizziness, headache and narcosis. Exposure to high concentrations can affect the central nervous system due to the strong narcotic effect of the material. Concentrations greater than 25000 ppm were reported to produce anaesthesia in animals. Anaesthetic properties are poor as onset is delayed and recovery is slow. Pronounced hypotension and marked respiratory hypernea accompany narcosis. Other symptoms include muscular hypotonia and disappearance of corneal reflexes, followed by coma and death.

CHRONIC HEALTH EFFECTS

Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Vanadium is an essential trace element. Poisoning can cause stomach upset, emphysema and wheezing. Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs. Chronic exposure may inflame the skin or conjunctiva. Repeated exposure to tetrahydrofuran (THF) and its congeners has been associated with cytolytic hepatitis and fatty degeneration of the liver. Inhalation of THF at concentrations greater than 3000 ppm, 8 hours/day for 20 days, produced irritation and evidence for hepatic and renal injury in animals. Male rats inhaling more than 5000 ppm THF for 12 weeks, 4 hours/day showed signs of systemic intoxication, skin and respiratory irritation, liver function disturbance and abnormalities in glucose function. Muscle acetylcholinesterase activity increased in a concentration-dependent manner in male rats that inhaled 200 ppm for 18 weeks, 6 hours/day. Hepatic protein and mixed function oxidase activity also increased. At 2000 ppm, liver function was inhibited. In a 13-week inhalation study, ataxia was reported in rats at 5000 ppm and narcosis in mice at 1800 ppm. Hepatocytomegaly developed in mice of both sexes at 5000 ppm while uterine atrophy and degeneration of the adrenal cortex was found in female mice. A case history suggests that interaction of THF and endoflurane (an anaesthetic) may provoke epileptic seizures following surgery. The parent compound of tetrahydrofuran, furan, is carcinogenic in rats based on an increased incidence of cholangiocarcinoma and hepatocellular neoplasms of the liver and increased incidences of mononuclear cell leukaemia. In male and female mice, furan induced hepatocellular neoplasms and benign pheochromocytomas of the of the adrenal gland. 1,4-Dioxane, another cyclic ether solvent, is carcinogenic in rats and guinea pigs, following oral administration, inducing malignant tumours of the liver in rats and malignant tumours of the liver of the gall-bladder in guinea pigs. 1,4-Dioxane is a promoter in two stage skin carcinogenic studies in mice. In a two-year inhalation study * there was evidence of carcinogenic activity of THF, in male rats, based on increased incidences of renal tube adenoma or carcinoma (combined) and in female mice based on an increased incidence of hepatocellular neoplasms. There was no evidence of carcinogenic activity in female rats or male mice exposed to 200, 600 and 1800 ppm THF by inhalation. * National Toxicology Program Technical Report Series No. 475.