

化学品安全技术说明书

填表时间 2020-01-06

打印时间 2026-03-18

**MSDS标题**

J.T.BAKER NEUTRASORB ACID NEUTRALIZER MSDS报告

**产品标题**

二溴邻甲酚磺酞酞; 溴甲酚红

**CAS号**

115-40-2

**化学品及企业标识**

**PRODUCT NAME**

J.T.BAKER NEUTRASORB ACID NEUTRALIZER

**NFPA**

Flammability	1
Toxicity	2
Body Contact	3
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

**PRODUCT USE**

Used for the cleanup of acid spills.

## **SYNONYMS**

"acid spill clean-up"

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

## **RISK**

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

## **POTENTIAL HEALTH EFFECTS**

## **ACUTE HEALTH EFFECTS**

## **SWALLOWED**

Accidental ingestion of the material may be damaging to the health of the individual. Magnesium salts are generally absorbed so slowly that oral administration causes few toxic effects, as the dose is readily expelled via the bowel. If evacuation fails, mucosal irritation and absorption may result. This can result in nervous system depression, heart effects, loss of reflexes and death due to paralysis of breathing. These usually do not occur unless the bowel or kidneys are damaged.

## **EYE**

There is evidence that material may produce eye irritation in some persons and produce eye damage 24 hours or more after instillation. Severe inflammation may be expected with pain. There may be damage to the cornea. Unless treatment is prompt and adequate there may be permanent loss of vision. Conjunctivitis can occur following repeated exposure. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

## **SKIN**

This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to produce harmful health effects (as classified using animal models). Systemic harm, however, has been identified following exposure of animals by at least one other route and the material may still produce health damage following entry through wounds, lesions or abrasions. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the bloodstream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of

the material and ensure that any external damage is suitably protected. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

## **INHALED**

If inhaled, this material can irritate the throat and lungs of some persons. Inhalation of dusts, generated by the material, during the course of normal handling, may be harmful. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of dusts, or fume, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.

## **CHRONIC HEALTH EFFECTS**

Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Chronic inhalation exposure may result in nasal ulceration and/or perforation of nasal septum.