

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-08-30

MSDS标题

HAARMANN 725335 PIN MARITIME T60535 MSDS报告

产品标题

乙酸异冰片酯;白乙酯;1, 7, 7-三甲基二环[2, 2, 1]庚-2-醇醋酸酯

CAS号

125-12-2

化学品及企业标识

PRODUCT NAME

HAARMANN 725335 PIN MARITIME T60535

NFPA

| | |
|--------------|---|
| Flammability | 2 |
| Toxicity | 2 |
| Body Contact | 2 |
| Reactivity | 0 |
| Chronic | 2 |

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Fragrance compound

SYNONYMS

"fragrance compound"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Irritating to eyes.

May cause SENSITIZATION by skin contact.

HARMFUL - May cause lung damage if swallowed.

Flammable.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. The material is not thought to be a skin irritant (as classified using animal models). Temporary discomfort, however, may result from prolonged dermal exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Sensitization may result in allergic dermatitis responses including rash, itching, hives or swelling of

extremities. Toxic effects may result from skin absorption. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

Inhalation may produce health damage*. There is some evidence to suggest that this material, if inhaled, can irritate the throat and lungs of some persons. Inhalation hazard is increased at higher temperatures. Not considered an irritant through normal use.

CHRONIC HEALTH EFFECTS

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. Sensitization reactions may appear suddenly after repeated symptom free exposures. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.