

www.xiyashiji.com

### 化学品安全技术说明书

填表时间 2019-12-31

打印时间 2026-01-02

### MSDS标题

HAARMANN 711654 AGRUMOPHOR 10835 MSDS报告

### 产品标题

1,1-二乙氧基-3,7-二甲基-2,6-辛二烯;柠檬醛二乙缩醛;柠檬醛二乙醇缩醛

#### CAS号

7492-66-2

化学品及企业标识

# **PRODUCT NAME**

HAARMANN 711654 AGRUMOPHOR 10835

## **NFPA**

Flammability	2
Toxicity	2
Body Contact	2
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

## **PRODUCT USE**

Fragrance compound.

#### **SYNONYMS**

"fragrance compound material", perfume

#### CANADIAN WHMIS SYMBOLS

### **EMERGENCY OVERVIEW**

### **RISK**

May cause SENSITIZATION by skin contact.

Flammable.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### POTENTIAL HEALTH EFFECTS

### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre- existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, pain, vomiting. Vomit entering the lungs by aspiration may cause potentially lethal chemical pneumonitis.

#### **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

#### **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. The material may accentuate any pre-existing dermatitis condition. Toxic effects may result from skin absorption. Sensitization may result in allergic dermatitis responses includingrash, itching, hives or swelling of

extremities.

#### **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhalation hazard is increased at higher temperatures. Acute effects from inhalation of high vapor concentrations may be chest and nasal irritation with coughing, sneezing, headache and even nausea.

#### CHRONIC HEALTH EFFECTS

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

