

## 化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2026-01-09

### MSDS标题

JUROX VITAJEK FOLIC/12 INJECTION MSDS报告

### 产品标题

N-[4-[(2-氨基-4-氧代-1,4-二氢-6-蝶啶)甲氨基]苯甲酰基]-L-谷氨酸

### CAS号

59-30-3

### 化学品及企业标识

## PRODUCT NAME

JUROX VITAJEK FOLIC/12 INJECTION

## NFPA

Flammability	0
Toxicity	0
Body Contact	0
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

## PRODUCT USE

An aid in the treatment of folic acid and Vitamin B12 deficiencies in dogs, cats, cattle and horses

# **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

### **RISK**

### **POTENTIAL HEALTH EFFECTS**

#### **ACUTE HEALTH EFFECTS**

##### **SWALLOWED**

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

##### **EYE**

Although the liquid is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

##### **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

##### **INHALED**

Not normally a hazard due to non-volatile nature of product. The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

## CHRONIC HEALTH EFFECTS

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Large and continuous doses of folic acid may lower the blood concentrations of Vitamin B12. Folic hypersensitivity and fever has been reported in a 36 year old anephric (... with kidneys removed) man. Though the cobalamins are generally well tolerated, allergic hypersensitivity reactions have followed the administration of the Vitamin B12 factors, cyanocobalamin and hydroxocobalamin. Vitamin B12 rapidly increases the rate of cell maturation, *in vivo*, and as a consequence increases the rate of nucleic acid degradation which in turn increases blood uric acid levels; this may produce gout in susceptible individuals.

xiiva