

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-26

打印时间 2026-02-14

MSDS标题

OCTADECENYLSUCCINIC ANHYDRIDE MSDS报告

产品标题

正十八烷基丁二酸酐;3-十八烷-二氢-2,5-呋喃二酮

CAS号

28777-98-2

化学品及企业标识

PRODUCT NAME

OCTADECENYLSUCCINIC ANHYDRIDE

NFPA

Flammability	1
Toxicity	1
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Alkyd, epoxy and other resins, anticorrosive agents, wetting agents for bituminous compounds, plasticisers. Internal sizing agent for paper manufacture.

SYNOMYMS

C22-H38-O3, "2, 5-furandione, dihydro-3-(octadecenyl)-", "2, 5-furandione, dihydro-3-(octadecenyl)-", "dihydro-3-(octadecenyl)-2, 5-furandione", "dihydro-3-(octadecenyl)-2, 5-furandione", "succinic anhydride, octadecenyl-", "octadecenyl succinic anhydride", "alkyl (alkenyl) succinic anhydride"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Irritating to eyes and skin.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, pain, vomiting. Vomit entering the lungs by aspiration may cause potentially lethal chemical pneumonitis.

EYE

This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Repeated exposures may produce severe ulceration.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhalation hazard is increased at higher temperatures. Inhalation of vapor may aggravate a pre-existing respiratory condition. Inhalation of quantities of liquid mist may be extremely hazardous, even lethal due to spasm, extreme irritation of larynx and bronchi, chemical pneumonitis and pulmonary edema.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by skin contact/absorption and inhalation of vapor. No human exposure data available. For this reason health effects described are based on experience with chemically related materials. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.