

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-28

打印时间 2025-11-22

MSDS标题

OCTADECYLTRICHLOROSILANE MSDS报告

产品标题

十八烷基三氯硅烷;三氯十八烷基硅烷;十八烷基三氯甲硅烷;正十八烷基三氯硅烷

CAS号

112-04-9

化学品及企业标识

PRODUCT NAME

OCTADECYLTRICHLOROSILANE

NFPA

Flammability	1
Toxicity	2
Body Contact	3
Reactivity	2
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Intermediate in the production of silicones.

SYNONYMS

C18-H37-Cl3-Si, "silane, octadecyltrichloro-", trichlorooctadecylsilane, "silylating agent"

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

Reacts violently with water. Causes burns. Risk of serious damage to eyes.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

The material can produce chemical burns following direct contactwith the skin. Solution of material in moisture on the skin, or perspiration, may markedly increase skin corrosion and accelerate tissue destruction. The material may accentuate any pre-existing skin condition. Toxic effects may result from skin absorption. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

If inhaled, this material can irritate the throat andlungs of some persons.

Inhalation of quantities of liquid mist may be extremely hazardous, even lethal due to spasm, extreme irritation of larynx and bronchi, chemical pneumonitis and pulmonary edema. Inhalation of vapor may aggravate a preexisting respiratory condition. The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapors especially at higher temperatures. No human exposure data available. For this reason health effects described are based on experience with chemically related materials. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

