

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-31

打印时间 2026-05-18

MSDS标题

VWR METHYLCYCLOHEXANONE (MIXTURE OF ISOMERS) MSDS报告

产品标题

邻甲基环己酮

CAS号

583-60-8

化学品及企业标识

PRODUCT NAME

VWR METHYLCYCLOHEXANONE (MIXTURE OF ISOMERS),FOR SYNTHESIS

NFPA

Flammability	2
Toxicity	2
Body Contact	3
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Chemical reagent.

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Risk of serious damage to eyes.

Harmful by inhalation, in contact with skin and if swallowed.

Flammable.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

EYE

If applied to the eyes, this material causes severe eye damage.

SKIN

Skin contact with the material may be harmful; systemic effects may result following absorption. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation hazard is increased at higher temperatures. Inhalation of high concentrations of gas/vapor causes lung irritation with coughing and nausea, central nervous depression with headache and dizziness, slowing of reflexes, fatigue and inco-ordination. If exposure to highly concentrated solvent atmosphere is prolonged this may lead to narcosis, unconsciousness, even coma and possible death.

CHRONIC HEALTH EFFECTS

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Chronic solvent inhalation exposures may result in nervous system impairment and liver and blood changes. [PATTYS].

Xinya