MSDS 说明书



www.xiyashiji.com

#### 化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-05-12

## MSDS标题 UNIMAX SB 30 MSDS报告 产品标题 酸式氧化钠;氟氢化钠;酸式氟化钠 CAS号 1333-83-1 化学品及企业标识 **PRODUCT NAME** UNIMAX SB 30 **NFPA** Flammability 0 Toxicity 4 **Body Contact** 4

Chronic 3 SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

0

# **PRODUCT USE**

Reactivity

Used in electroplating processes.

## **SYNONYMS**

"Atotech India"

## **CANADIAN WHMIS SYMBOLS**

# **EMERGENCY OVERVIEW**

# RISK

Harmful in contact with skin. Toxic if swallowed. Very toxic by inhalation. Causes burns. Risk of serious damage to eyes. May cause CANCER. May cause SENSITIZATION by inhalation and skin contact. May cause heritable genetic damage. May impair fertility. May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation. Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

### **POTENTIAL HEALTH EFFECTS**

# **ACUTE HEALTH EFFECTS**

### **SWALLOWED**

The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. The material can produce severe chemical burns within the oral cavity and gastrointestinal tract following ingestion. Fluoride causes severe loss of calcium in the blood, with symptoms appearing several hours later including painful and rigid muscle contractions of the limbs. Cardiovascular collapse can occur and may cause death with increased heart rate and other heart rhythm irregularities. The brain and kidneys may be affected. Other toxic effects include headache, increased saliva output, jerking of the eyeball and dilated pupils, lethargy, stupor, coma and rarely, convulsions.

#### EYE

The material can produce chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. The material can

produce severe chemical burns to the eye following direct contact. Vapors or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

#### SKIN

The material can produce chemical burns following direct contactwith the skin. Skin contact with the material may be harmful; systemic effects may resultfollowing absorption. The material can produce severe chemical burns following direct contactwith the skin. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

#### **INHALED**

Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce severely toxic effects; these may be fatal. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. Acute effects of fluoride inhalation include irritation of nose and throat, coughing and chest discomfort. A single acute over-exposure may even cause nose bleed. Pre-existing respiratory conditions such as emphysema, bronchitis may be aggravated by exposure. Occupational asthma may result from exposure. High concentrations cause inflamed airways and watery swellingof the lungs with edema. The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.

#### **CHRONIC HEALTH EFFECTS**

There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information. Based on experiments and other information, there is ample evidence to presume that exposure to this material can cause genetic defects that can be inherited. Ample evidence exists from experimentation that reduced human fertility is directly caused by exposure to the material. Ample evidence exists, from results in experimentation, that developmental disorders are directly caused by human exposure to the material.

Principal routes of exposure are by accidental skin and eye contact and inhalation of generated dusts. Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population. Extended exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discoloration, nausea and vomiting, loss of appetite, diarrhea or constipation, weight loss, anemia, weakness and general unwellness. There may also be frequent urination and thirst. Redness, itchiness and allergy-like inflammation of the skin and mouth cavity can occur. The central nervous system may be involved. Chronic inhalation exposure may result in nasal ulceration and/orperforation of nasal septum. Respiratory sensitization may result in allergic/asthma like responses; from coughing and minor breathing difficulties to bronchitis with wheezing, gasping.