

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-28

打印时间 2025-07-02

MSDS标题

P-HEXYLOXYBENZALDEHYDE MSDS报告

产品标题

4-(己氧基)苯甲醛

CAS号

5736-94-7

化学品及企业标识

PRODUCT NAME

P-HEXYLOXYBENZALDEHYDE

NFPA

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Intermediate.



SYNONYMS

C13-H18-O2, para-hexyloxybenzaldehyde, "benzaldehyde, 4-(hexyloxy)-", "benzaldehyde, 4-(hexyloxy)-", 4-(hexyloxy)benzaldehyde, 4-(hexyloxy)benzaldehyde, para-(hexyloxy)-", 4-hexoxybenzaldehyde, 4-hexoxybenzaldehyde

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

EYE

This material can cause eye irritation and damage in some persons.

SKIN

Skin contact with the material may be harmful; systemic effects may resultfollowing absorption. This material can cause inflammation of the skin oncontact in some persons. The material may accentuate any pre-existing dermatitis condition. Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation hazard is increased at

higher temperatures.

CHRONIC HEALTH EFFECTS

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

