

www.xiyashiji.com

化学品安全技术说明书

填表时间 1970-01-01

打印时间 2025-12-15

MSDS标题

ZIRCONIUM MSDS报告

产品标题

CAS号

化学品及企业标识

PRODUCT NAME

ZIRCONIUM

NFPA

Flammability	2
Toxicity	2
Body Contact	2
Reactivity	2
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Reagent, catalyst, high tech. material of construction. Regeant

SYNONYMS

Zr, "zirconium metal, dry, chemically produced, finer than 20 mesh particle size, ", "[UN 2008)]", "zirconium metal, dry, mechanically produced, finer than 270 mesh

particle", "size [UN 2008]", "zirconium metal, liquid suspensions [(UN 1308]", "zirconium metal, wet, chemically produced, finer than 270 mesh", "particle size [UN 1358]", "zirconium metal, wet, mechanically produced, finer than 270 mesh particle", "size [UN 1358]", "zirconium scrap (borings, clippings, shavings, sheets or turnings)", "[UN 1932]", zircat, "zirconium, suspended in a liquid", "zirconium powder, wetted with not less than 25% water(a visible excess of water must be present)", "zirconium powder, dry"

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Flammable.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Because inorganic zirconium is poorly absorbed from the digestive tract, acute oral toxicity is low. Injection is much more dangerous, causing progressive depression until death.

EYE

There is some evidence to suggest that this material can causeeye irritation and damage in some persons.

SKIN

Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. The external application of zirconium can cause nodules in the skinof the armpits. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of dusts, or fume, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of dusts, generated by the material during the course of normal handling, may be damaging to the health of the individual. Zirconium workers exposed to fume for 1-5 years showed no abnormalities due to zirconium. Animal studies also reveal a low order of hazard from inhaled zirconium. The inhalation of small particles of metal oxide results in sudden thirst, a sweet, metallic our foul taste, throat irritation, cough, dry mucous membranes, tiredness and general unwellness. Headache, nausea and vomiting, fever or chills, restlessness, sweating, diarrhea, excessive urination and prostration may also occur. After exposure is removed, recovery occurs within 24-36 hours.

CHRONIC HEALTH EFFECTS

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Zirconium can accumulate in the spleen. Oral administration has not beenshown to cause any ill effects. Metallic dusts generated by the industrial process give rise to a number of potential health problems. The larger particles, above 5 micron, are nose and throat irritants. Smaller particles however, may cause lung deterioration. Particles of less than 1.5 micron can be trapped in the lungs and, dependent on the nature of the particle, may give rise to further serious health consequences.