MSDS 说明书



www.xiyashiji.com

化学品安全技术说明书

填表时间 2020-03-09

打印时间 2025-05-12

MSDS标题

P-NITROANISOLE MSDS报告

产品标题

4-硝基苯甲醚

CAS号

100-17-4

化学品及企业标识

PRODUCT NAME

P-NITROANISOLE

NFPA

Flammability	1
Toxicity	2
Body Contact	2
Reactivity	2
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extre	me=4

PRODUCT USE

Laboratory reagent. Dyestuff intermediate. Intermediate

SYNONYMS

C7-H7-NO3, C6H4(OCH3)(NO2), "anisole, p-nitro-", "anisole, p-nitro-", "benzene, 1methoxy-4-nitro-", "benzene, 1-methoxy-4-nitro-", p-nitromethoxybenzene, pnitromethoxybenzene, 1-methoxy-4-nitrobenzene, 1-methoxy-4-nitrobenzene, p-nitroanisol, pnitroanisol, "nitrophenyl methyl ether", nitroanisole

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

May cause SENSITIZATION by skin contact. Limited evidence of a carcinogenic effect.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be damaging to the health of the individual. The substance and/or its metabolites may bind to hemoglobin inhibiting normal uptake of oxygen. This condition, known as "methemoglobinemia", is a form of oxygen starvation (anoxia). Symptoms include cyanosis (a bluish discoloration skin and mucous membranes) and breathing difficulties. Symptoms may not be evident until several hours after exposure. At about 15% concentration of blood methemoglobin there is observable cyanosis of the lips, nose and earlobes. Symptoms may be absent although euphoria, flushed face and headache are commonly experienced. At 25-40%, cyanosis is marked but little disability occurs other than that produced on physical exertion. At 40-60%, symptoms include weakness, dizziness, lightheadedness, increasingly severe headache, ataxia, rapid shallow respiration, drowsiness, nausea, vomiting, confusion, lethargy and stupor. Above 60% symptoms include dyspnea, respiratory depression, tachycardia or bradycardia, and convulsions. Levels exceeding 70% may be At sufficiently high doses the material may be nephrotoxic(i.e. fatal. poisonous to the kidney).

EYE

There is some evidence to suggest that this material can causeeye irritation and damage in some persons.

SKIN

The material is not thought to be a skin irritant (as classified using animal models). Abrasive damage however, may result from prolonged exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Inhalation may produce health damage*. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of dusts, or fume, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of vapors, aerosols (mists, fumes) or dusts, generated by the material during the course of normal handling, may be damaging to the health of the individual. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.