MSDS 说明书



www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-30

打印时间 2025-04-20

MSDS标题	
P-AMINOPHENOL MSDS报告	
产品标题	
对羟基苯胺, 4-氨基苯酚, 对氨基酚	
CAS号	
123-30-8	
化学品及企业标识	•
PRODUCT NAME P-AMINOPHENOL	
NFPA	
Flammability Toxicity Body Contact Reactivity Chronic SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extre	1 2 2 1 3 eme=4

PRODUCT USE

For dyeing textiles, hair, furs, feathers; photographic developer, pharmaceuticals, antioxidants, oil additives. Used medicinally, as an analgesic, in the late 1880s. Intermediate

SYNONYMS

C6-H7-N-O, C6-H7-N-O, H2NC6H4OH, aminophenol, 4-amino-1-hydroxybenzene, 4-amino-1hydroxybenzene, 4-aminophenol, 4-aminophenol, p-hydroxyaniline, p-hydroxyaniline, "para aminophenol p-aminophenol", "para aminophenol p-aminophenol", Activol, Azol, "Ursol P base", "Fouramine P", "Nako Brown R", "Pelagol P Base", Rodinal

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

Possible risk of irreversible effects. Harmful by inhalation and if swallowed. Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Strong evidence exists that the substance may cause irreversible but non-lethal mutagenic effects following a single exposure. The substance and/or its metabolites may bind to hemoglobin inhibiting normal uptake of oxygen. This condition, known as "methemoglobinemia", is a form of oxygen starvation (anoxia). Symptoms include cyanosis (a bluish discoloration skin and mucous membranes) and breathing difficulties. Symptoms may not be evident until several hours after At about 15% concentration of blood methemoglobin there is exposure. observable cyanosis of the lips, nose and earlobes. Symptoms may be absent although euphoria, flushed face and headache are commonly experienced. At 25-40%, cyanosis is marked but little disability occurs other than that produced on physical exertion. At 40-60%, symptoms include weakness, dizziness, lightheadedness, increasingly severe headache, ataxia, rapid shallow respiration, drowsiness, nausea, vomiting, confusion, lethargy and stupor. Above 60% symptoms include dyspnea, respiratory depression, tachycardia or bradycardia, and convulsions. Levels exceeding 70% may be fatal.

EYE

There is some evidence to suggest that this material can causeeye irritation and damage in some persons.

SKIN

There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of dusts, or fume, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

Exposure to the material may result in a possible risk of irreversible effects. The material may produce mutagenic effects in man. This concern is raised, generally, on the basis of appropriate studies using mammalian somatic cells in vivo. Such findings are often supported by positive results from in vitro mutagenicity studies. Limited evidence suggests that repeated or longterm occupational exposure may produce cumulative health effects involving organs or biochemical systems. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is some evidence that human exposure to the material may result in developmental toxicity. This evidence is based on animal studies where effects have been observed in the absence of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not secondary non-specific consequences of the other toxic effects. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Exposure to the material for prolonged periods may cause physical defects in the developing embryo Most arylamines are powerful poisons to the blood-making (teratogenesis). system. High chronic doses cause congestion of the spleen and tumor formation.