

化学品安全技术说明书

填表时间 2019-12-30

打印时间 2026-03-15

MSDS标题

VINYL ETHYL ETHER MSDS报告

产品标题

乙基乙烯基醚;乙基乙烯醚;乙氧基乙烯;乙烯基乙基醚

CAS号

109-92-2

化学品及企业标识

PRODUCT NAME

VINYL ETHYL ETHER

NFPA

Flammability	4
Toxicity	2
Body Contact	2
Reactivity	2
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Monomer for manufacture of vinyl ether polymers.

SYNONYMS

C4-H8-O, CH₃CH₂OCH=CH₂, EVE, "ethene, ethoxy", "ethoxy ethene", "ethyl vinyl ether", Vinamar

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

May form explosive peroxides.

Irritating to eyes.

HARMFUL - May cause lung damage if swallowed.

Highly flammable.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be damaging to the health of the individual. Swallowing of the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis; serious consequences may result. (ICSC13733). Ingestion of alkyl ethers may produce stupor, blurred vision, headache, dizziness and irritation of the nose and throat. Respiratory distress and asphyxia may result.

EYE

There is some evidence to suggest that this material can cause eye irritation and damage in some persons. Irritation of the eyes may produce a heavy secretion of tears (lachrymation). The liquid produces a high level of eye discomfort and is capable of causing pain and severe conjunctivitis. Corneal injury may develop, with possible permanent impairment of vision, if not promptly and adequately treated. Eye contact with alkyl ethers (vapor or liquid) may produce irritation, redness and tears. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. There is some evidence to suggest that the material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterized by redness,

swelling and blistering. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Absorption by skin may readily exceed vapor inhalation exposure. Symptoms for skin absorption are the same as for inhalation. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Alkyl ethers may defat and dehydrate the skin producing dermatoses. Absorption may produce headache, dizziness, and central nervous system depression.

INHALED

Inhalation may produce health damage*. Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of vapors, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Material is highly volatile and may quickly form a concentrated atmosphere in confined or unventilated areas. Vapor is heavier than air and may displace and replace air in breathing zone, acting as a simple asphyxiant. This may happen with little warning of overexposure. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo. Following inhalation, ethers cause lethargy and stupor. Inhaling lower alkyl ethers results in headache, dizziness, weakness, blurred vision, seizures and possible coma. Low blood pressure, slow heartbeat and cardiovascular collapse may be seen with throat irritation, irregular breathing, pulmonary edema and respiratory arrest. Nausea, vomiting and salivation may be seen. There have been deaths reported, and convulsions and paralysis can be found in severe cases. Massive exposures can cause damage to the kidney and liver. If exposure to highly concentrated solvent atmosphere is prolonged this may lead to narcosis, unconsciousness, even coma and possible death.

CHRONIC HEALTH EFFECTS

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Chronic solvent inhalation exposures may result in nervous system impairment and liver and blood changes. [PATTYS]. Chronic exposure to alkyl ethers may result in loss of appetite, excessivethirst, fatigue, and weight loss.