

化 学 品 安 全 技 术 说 明 书

填表时间 2020-03-09

打印时间 2025-09-19

MSDS标题

VIKING ACTIVATOR SOLUTION JQ-1 MSDS报告

产品标题

氯代苯;一氯代苯;氯化苯

CAS号

108-90-7

化学品及企业标识

PRODUCT NAME

VIKING ACTIVATOR SOLUTION JQ-1

NFPA

Flammability	2
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

PRODUCT USE

Contact adhesive hardener.

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful if swallowed.

May cause SENSITIZATION by inhalation and skin contact.

Harmful by inhalation and if swallowed.

Flammable.

Vapors may cause dizziness or suffocation.

Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Accidental ingestion of the material may be damaging to the health of the individual. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

There is some evidence to suggest that this material can cause eye irritation and damage in some persons.

SKIN

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material may accentuate any pre-existing skin condition.

INHALED

There is some evidence to suggest that this material, if inhaled, can irritate the throat and lungs of some persons. Harmful by inhalation. Inhalation of high concentrations of gas/vapor causes lung irritation with coughing and nausea, central nervous depression with headache and dizziness, slowing of reflexes, fatigue and inco-ordination. The vapor/mist may be highly irritating to the upper respiratory tract and lungs; the response may

be severe enough to produce bronchitis and pulmonary edema. Possible neurological symptoms arising from isocyanate exposure include headache, insomnia, euphoria, ataxia, anxiety neurosis, depression and paranoia. Gastrointestinal disturbances are characterized by nausea and vomiting. Pulmonary sensitization may produce asthmatic reactions ranging from minor breathing difficulties to severe allergic attacks; this may occur following a single acute exposure or may develop without warning for several hours after exposure. Sensitized people can react to very low doses, and should not be allowed to work in situations allowing exposure to this material. Continued exposure of sensitized persons may lead to possible long term respiratory impairment. Inhalation hazard is increased at higher temperatures.

CHRONIC HEALTH EFFECTS

Skin contact with the material is more likely to cause a sensitization reaction in some persons compared to the general population.

Persons with a history of asthma or other respiratory problems or are known to be sensitised, should not be engaged in any work involving the handling of isocyanates. [CCTRADE-Bayer, APMF]. Inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. Exposure to high levels or prolonged exposure to chlorobenzene may cause liver damage, chronic respiratory disease and changes to the kidney (urine may be burgundy red). Workers exposed to chlorobenzene vapours from 1-2 years reported headache, dizziness, somnolence, and dyspeptic disorders. Other symptoms included acroparaesthesia, spastic contractions of the finger muscles, hypesthesia, spastic contractions of the gastocnemius muscle and vasovegetative instability.