

www.xiyashiji.com

#### 化学品安全技术说明书

填表时间 2020-03-09

打印时间 2025-11-09

## MSDS标题

HEPTAETHYLENE GLYCOL MONODODECYL ETHER MSDS报告

## 产品标题

聚庚乙二醇单十二醚;十二烷基七聚乙二醇醚

#### CAS号

3055-97-8

化学品及企业标识

# **PRODUCT NAME**

HEPTAETHYLENE GLYCOL MONODODECYL ETHER

## **NFPA**

2
2
2
2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

## **PRODUCT USE**

Nonionic surfactant. Intermediate

#### **SYNONYMS**

C26-H54-O8, CH3(CH2)11(OCH2CH2)7OH, C12E7, dodecylheptaglycol, "polyoxyethylene 7 lauryl ether", "nonionic surfactant", "laureth 7"

## **CANADIAN WHMIS SYMBOLS**

#### **EMERGENCY OVERVIEW**

#### **RISK**

Irritating to eyes, respiratory system and skin.

#### POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

Accidental ingestion of the material may be damaging to the health of the individual. Nonionic surfactants may produce localized irritation of the oral or gastrointestinal lining and induce vomiting and mild diarrhea.

#### **EYE**

This material can cause eye irritation and damage in some persons. Non-ionic surfactants can cause numbing of the cornea, which masks discomfort normally caused by other agents and leads to corneal injury. Irritation varies depending on the duration of contact, the nature and concentration of the surfactant.

## **SKIN**

This material can cause inflammation of the skin oncontact in some persons. The material may accentuate any pre-existing dermatitis condition. Skin contact is not thought to have harmful health effects, however the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

### **INHALED**

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by

narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

#### CHRONIC HEALTH EFFECTS

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Some glycol esters and their ethers cause wasting of the testicles, reproductive changes, infertility and changes to kidney function. Shorter chain compounds are more dangerous. Higher concentrations and prolonged exposure can cause blood in the urine.

