

化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-26

打印时间 2025-07-02

MSDS标题

M-TOLYL ISOTHIOCYANATE MSDS报告

产品标题

异硫氰酸间甲苯酯;3-甲基异硫氰酸苯;间甲苯异硫氰酸酯;间甲苯异硫代异氰酸酯

CAS号

621-30-7

化学品及企业标识

PRODUCT NAME

M-TOLYL ISOTHIOCYANATE

STATEMENT OF HAZARDOUS NATURE

Not considered a hazardous substance according to OSHA 29 CFR 1910.1200.

NFPA

Flammability	1
Toxicity	1
Body Contact	0
Reactivity	1
Chronic	0

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Intermediate.

SYNONYMS

C8-H7-N-S, C8-H7-N-S, CH₃C₆H₄NCS, "isothiocyanic acid, m-tolyl ester", "isothiocyanic acid, m-tolyl ester", 3-tolylisothiocyanate, 3-tolylisothiocyanate

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments. Ingestion may result in nausea, pain, vomiting. Vomit entering the lungs by aspiration may cause potentially lethal chemical pneumonitis.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhalation hazard is increased at higher temperatures. Inhalation of vapor may aggravate a pre-existing respiratory condition. Symptoms of mist exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Intense inhalation of mist may be lethal as a result of severe spasm, inflammation of larynx and bronchi, chemical pneumonitis, pulmonary edema.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by skin contact/absorption and inhalation of vapor. No human exposure data available. For this reason health effects described are based on experience with chemically related materials. As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.