

化学品安全技术说明书

填表时间 2019-12-30

打印时间 2026-05-07

**MSDS标题**

HAFNIUM CARBIDE MSDS报告

**产品标题**

碳化铪

**CAS号**

12069-85-1

**化学品及企业标识**

**PRODUCT NAME**

HAFNIUM CARBIDE

**NFPA**

Flammability	0
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

**PRODUCT USE**

Most refractory binary substance known. Used in control rods in nuclear reactors.

## **SYNONYMS**

C-Hf, HfC

## **CANADIAN WHMIS SYMBOLS**

## **EMERGENCY OVERVIEW**

## **RISK**

## **POTENTIAL HEALTH EFFECTS**

## **ACUTE HEALTH EFFECTS**

### **SWALLOWED**

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

### **EYE**

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

### **SKIN**

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material.

### **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. Injections of hafnium oxide or

carbide into airways may cause scarring of the lungs.

## **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are by accidental skin and eye contact and inhalation of generated dusts. Prolonged ingestion of hafnium is moderately toxic. There may be liver changes.

Xinya