

## 化 学 品 安 全 技 术 说 明 书

填表时间 2019-12-30

打印时间 2025-07-01

### MSDS标题

LITHIUM ALUMINIUM-TRI-TERT-BUTOXYHYDRIDE MSDS报告

### 产品标题

氢化三叔丁醇铝酸锂

### CAS号

17476-04-9

### 化学品及企业标识

## PRODUCT NAME

LITHIUM ALUMINIUM-TRI-TERT-BUTOXYHYDRIDE

## NFPA

Flammability	3
Toxicity	2
Body Contact	2
Reactivity	1
Chronic	2
SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4	

## PRODUCT USE

Reagent for the stereospecific reductions of steroid ketones and for the reductions of acid chlorides to aldehydes.

## SYNONYMS

C<sub>12</sub>-H<sub>28</sub>-Al-Li-O<sub>3</sub>, LiAl[OC(CH<sub>3</sub>)<sub>3</sub>]<sub>3</sub>H, lithium-tri-tert-butoxyaluminumhydride, "lithium tri-tert-butoxyaluminium hydride", LATB

## CANADIAN WHMIS SYMBOLS

## EMERGENCY OVERVIEW

### RISK

Contact with water liberates extremely flammable gases.  
Flammable.

## POTENTIAL HEALTH EFFECTS

### ACUTE HEALTH EFFECTS

#### SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Lithium, in large doses, can cause dizziness and weakness. If a low salt diet is in place, kidney damage can result. There may be dehydration, weight loss, skin effects and thyroid disturbances. Central nervous system effects include slurred speech, blurred vision, numbness, inco-ordination and convulsions. Repeated exposure can cause diarrhea, vomiting, tremor, muscle jerks and very brisk reflexes.

#### EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

#### SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Solution of material in moisture on the skin, or perspiration, may markedly increase skin corrosion and accelerate tissue destruction.

## **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

## **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are by accidental skin and eye contact and inhalation of generated dusts. Lithium compounds can affect the nervous system and muscle. This can cause tremor, incoordination, spastic jerks and very brisk reflexes. They may cause birth defects and should not be used when pregnancy is suspected. They are effective in treating manic episodes of bipolar disorder. Restricting sodium in the diet increases the risks of taking lithium. Exposure to large doses of Aluminum has been connected with the degenerative brain disease Alzheimer's Disease.