

www.xiyashiji.com

化学品安全技术说明书

填表时间 2019-12-31

打印时间 2025-04-20

MSDS标题

JMM TENACITY 5 FLUX POWDER MSDS报告

产品标题

硅氟化钾;氟硅化钾;六氟合硅酸钾

CAS号

16871-90-2

化学品及企业标识

PRODUCT NAME

JMM TENACITY 5 FLUX POWDER

NFPA

Flammability	0
Toxicity	3
Body Contact	3
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Brazing flux.

SYNONYMS

"brazing flux powder"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Toxic by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

EYE

This material can cause eye irritation and damage in some persons.

SKIN

Skin contact with the material may produce toxic effects; systemic effectsmay result following absorption. This material can cause inflammation of the skin oncontact in some persons.

INHALED

If inhaled, this material can irritate the throat andlungs of some persons. Inhalation of small amounts of dust or fume over long periods may causepoisoning. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by inhalation of generated dust and inhalation of fumes from welding. Ingestion may result in nausea, abdominal irritation, pain and vomiting. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following.

As with any chemical product, contact with unprotected bare skin; inhalation of vapor, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

